

ECEN-6/7/10, Mini Centrifuges



Model	ECEN-6	ECEN-7	ECEN-10
Power requirement	30W	30W	40W
Max. rotational speed	6,000rpm	7,000rpm	10,000rpm
Relative centrifugal force(RCF)	2,000×g	2,300×g	5,000×g
Rotor	6×1.5/2.0ml angle rotor		
	2×8×0.2ml strip rotor		
	Rotor for slide		
Dimensions(W×D×H)	175×148×118mm		

ECEN-14, High Speed Centrifuge



Features:

- Extremely quiet operation.
- Easy-to-follow LCD display.
- Capacity: 12×1.5/2.0ml tubes.
- Include adapters for 0.5ml & 0.2ml.
- Separate short-spin key.
- Low sample heating (only 12°C after 30min, at max. speed).
- Autoclavable rotor (121°C, 20min).
- RMP/RCF setting as required.
- Includes standard rotor made of anodized aluminum.
- Timer can be set up to 99min.
- The small size of the unit makes it convenient for benchtop use or in a hood or in refrigerated environments.

Model	ECEN-14
Power requirement	105W
Max. rotational speed	14,500rpm
Relative centrifugal force (RCF)	14,000×g
Timer	20sec—99min
Acceleration time to max. speed	42s
Braking time from max. speed	55s
Dimensions (W×D×H)	240×212×138mm